

40. (Amended) The isolated nucleic acid of Claim 39 having at least 85% nucleic acid sequence identity to:

- (a) a nucleic acid sequence encoding the polypeptide shown in Figure 118 (SEQ ID NO: 339);
- (b) a nucleic acid sequence encoding the polypeptide shown in Figure 118 (SEQ ID NO: 339), lacking its associated signal peptide;
- (c) the nucleic acid sequence shown in Figure 117 (SEQ ID NO:338);
- (d) the full-length coding sequence of the nucleic acid sequence shown in Figure 117 (SEQ ID NO:338); or
- (e) the full-length coding sequence of the cDNA deposited under ATCC accession number 209490,

wherein said isolated nucleic acid encodes a polypeptide associated with the formation or growth of lung or colon tumor.

3
41. (Amended) The isolated nucleic acid of Claim 39 having at least 90% nucleic acid sequence identity to:

- (a) a nucleic acid sequence encoding the polypeptide shown in Figure 118 (SEQ ID NO: 339);
- (b) a nucleic acid sequence encoding the polypeptide shown in Figure 118 (SEQ ID NO: 339), lacking its associated signal peptide;
- (c) the nucleic acid sequence shown in Figure 117 (SEQ ID NO:338);
- (d) the full-length coding sequence of the nucleic acid sequence shown in Figure 117 (SEQ ID NO:338); or
- (e) the full-length coding sequence of the cDNA deposited under ATCC accession number 209490,

wherein said isolated nucleic acid encodes a polypeptide associated with the formation or growth of lung or colon tumor.

42. (Amended) The isolated nucleic acid of Claim 39 having at least 95% nucleic acid sequence identity to:

- (a) a nucleic acid sequence encoding the polypeptide shown in Figure 118 (SEQ ID NO: 339);
- (b) a nucleic acid sequence encoding the polypeptide shown in Figure 118 (SEQ ID NO: 339), lacking its associated signal peptide;
- (c) the nucleic acid sequence shown in Figure 117 (SEQ ID NO:338);
- (d) the full-length coding sequence of the nucleic acid sequence shown in Figure 117 (SEQ ID NO:338); or
- (e) the full-length coding sequence of the cDNA deposited under ATCC accession number 209490,

wherein said isolated nucleic acid encodes a polypeptide associated with the formation or growth of lung or colon tumor.

43. (Amended) The isolated nucleic acid of Claim 39 having at least 99% nucleic acid sequence identity to:

- (a) a nucleic acid sequence encoding the polypeptide shown in Figure 118 (SEQ ID NO: 339);
- (b) a nucleic acid sequence encoding the polypeptide shown in Figure 118 (SEQ ID NO: 339), lacking its associated signal peptide;
- (c) the nucleic acid sequence shown in Figure 117 (SEQ ID NO:338);
- (d) the full-length coding sequence of the nucleic acid sequence shown in Figure 117 (SEQ ID NO:338); or

(e) the full-length coding sequence of the cDNA deposited under ATCC accession number 209490,
wherein said isolated nucleic acid encodes a polypeptide associated with the formation or growth of lung or colon tumor.

44. (Amended) An isolated nucleic acid comprising:

(a) a nucleic acid sequence encoding the polypeptide shown in Figure 118 (SEQ ID NO: 339);
(b) a nucleic acid sequence encoding the polypeptide shown in Figure 118 (SEQ ID NO: 339), lacking its associated signal peptide;
(c) the nucleic acid sequence shown in Figure 117 (SEQ ID NO:338);
(d) the full-length coding sequence of the nucleic acid sequence shown in Figure 117 (SEQ ID NO:338); or
(e) the full-length coding sequence of the cDNA deposited under ATCC accession number 209490,

wherein said isolated nucleic acid encodes a polypeptide associated with the formation or growth of lung or colon tumor.

52. (Amended) An isolated nucleic acid that hybridizes under moderately stringent conditions to:

(a) a nucleic acid sequence encoding the polypeptide shown in Figure 118 (SEQ ID NO: 339);
(b) a nucleic acid sequence encoding the polypeptide shown in Figure 118 (SEQ ID NO: 339), lacking its associated signal peptide;
(c) the nucleic acid sequence shown in Figure 117 (SEQ ID NO:338);
(d) the full-length coding sequence of the nucleic acid sequence shown in Figure 117 (SEQ ID NO:338); or